

无线多功能智能平台



无线转有线 稳定性高 持续使用防死机模块

送



产品全套配备

PRODUCT DETAIL ANALYSIS

©2017 PMAEYCEI All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of PMAEYCEI.



基本参数

BASIC PARAMETERS

品名	电信无线转有线
网络参数	CDMA800MHZ
信号灵敏度	-104DM
内部电压	DC 5C/1.0A
工作湿度	45%-90%不结晶条件下


连接方式	RJ11电话线接口
大气压力	86-106PKA
天线增益	2DB
环境噪音	<60DB
电源接头	国标 欧规 英规可选

外形尺寸：Φ160*100*30mm



可以室内使用

也可放在办公室的任何地方





有LOGO


无LOGO

多种选择



便捷式无需设置插卡即用

可以不受布线、接线、安装、操作等繁琐事情的束缚！



摆脱繁琐安装

插卡即用，简单方便

不再烦恼

不受布线、接线、安装、操作等繁琐事情的束缚！


简便而不简单

一机插卡接您的设备即可使用，方便快捷


无须设置 即可使用

插卡即用

3步安装



1：插上手机卡



2：连接上天线



3：连接电源线

NEW

LED指示灯

只为更出色



指示信号强弱

手机正常时不亮 识别不了卡常亮

正常时不亮 通讯模块异常会常亮

正在通话时灯亮 待机时不亮

待机时闪烁 使用设备打电话灯常亮

接上电源后常亮 供电正常

特色功能

BASIC PARAMETERS

BASIC PARAMETERS



MORE
01 **24小时**
开机不发热
使用快捷简便售后无忧。